

CLAIMS

What is claimed is:

- 5 1. A method for processing a variable looping statement to enable loop unrolling, comprising:
- determining an upper bound and a lower bound for a loop index within said variable looping statement;
- determining a condition that must be satisfied, said
- 10 condition reflecting any conditions within an initial expression and an exit expression of said variable looping statement; and
- forming a constant looping statement, wherein said upper bound and said lower bound define a range of values
- 15 for a loop index within said constant looping statement, wherein said constant looping statement includes a nested conditional statement which tests said determined condition, wherein a body of said constant looping statement comprises a body of said variable looping
- 20 statement, and wherein said body of said constant looping statement is only executed in the event that said determined condition is satisfied.
- 25 2. The method of claim 1, wherein said determining said condition comprises forming a logical "AND" of said initial condition of said variable looping statement and said exit condition of said variable looping statement.

[illegible]

10

15

20

25

30

30

30

30

in the event that said variable looping statement includes said decreasing loop index value, said determining of said upper bound comprises determining an upper bound of said initial expression of said variable looping statement.

9. A system for processing a variable looping statement to enable loop unrolling, said system including a computer readable memory having one or more computer instructions stored thereon, said instructions comprising:

instructions operative to determine an upper bound and a lower bound for a loop index within said variable looping statement;

instructions operative to determine a condition that must be satisfied, said condition reflecting any conditions within an initial expression and an exit expression of said variable looping statement; and

instructions operative to form a constant looping statement, wherein said upper bound and said lower bound define a range of values for a loop index within said constant looping statement, wherein said constant looping statement includes a nested conditional statement which tests said determined condition, wherein a body of said constant looping statement comprises a body of said variable looping statement, and wherein said body of said constant looping statement is only executed in the event that said determined condition is satisfied.

10. The system of claim 9, wherein said instructions  
operative to determine said condition comprise  
instructions operative to form a logical "AND" of said  
initial condition of said variable looping statement and  
5 said exit condition of said variable looping statement.

11. The system of claim 9, further comprising  
instructions operative to determine whether said variable  
looping statement includes an increasing loop index  
10 value.

12. The system of claim 11, further comprising:  
instructions operative, in the event that said  
variable looping statement includes said increasing loop  
15 index value, to determine said lower bound by determining  
a lower bound of said initial expression of said variable  
looping statement.

13. The system of claim 11, further comprising:  
20 instructions operative, in the event that said  
variable looping statement includes said increasing loop  
index value, to determine said upper bound by determining  
an upper bound of said exit expression of said variable  
looping statement.

25 14. The system of claim 9 further comprising  
instructions operative to determine whether said variable  
looping statement includes a decreasing loop index value.

30 15. The system of claim 14, further comprising:

instructions operative, in the event that said variable looping statement includes said decreasing loop index value, to determine said lower bound by determining a lower bound of said exit expression of said variable looping statement.

16. The system of claim 14, further comprising:

instructions operative, in the event that said variable looping statement includes said decreasing loop index value, to determine said upper bound by determining an upper bound of said initial expression of said variable looping statement.

17. A computer program product including a computer readable medium, said computer readable medium having a computer program stored thereon, said computer program for processing a variable looping statement to enable loop unrolling, said computer program comprising:

program code for determining an upper bound and a lower bound for a loop index within said variable looping statement;

program code for determining a condition that must be satisfied, said condition reflecting any conditions within an initial expression and an exit expression of said variable looping statement; and

program code for forming a constant looping statement, wherein said upper bound and said lower bound define a range of values for a loop index within said constant looping statement, wherein said constant looping statement includes a nested conditional statement which

tests said determined condition, wherein a body of said  
constant looping statement comprises a body of said  
variable looping statement, and wherein said body of said  
constant looping statement is only executed in the event  
5 that said determined condition is satisfied.

18. A computer data signal embodied in a carrier wave,  
said computer data signal including a computer program,  
said computer program for processing a variable looping  
statement to enable loop unrolling, said computer program  
10 comprising:

program code for determining an upper bound and a  
lower bound for a loop index within said variable looping  
statement;

15 program code for determining a condition that must  
be satisfied, said condition reflecting any conditions  
within an initial expression and an exit expression of  
said variable looping statement; and

program code for forming a constant looping  
20 statement, wherein said upper bound and said lower bound  
define a range of values for a loop index within said  
constant looping statement, wherein said constant looping  
statement includes a nested conditional statement which  
tests said determined condition, wherein a body of said  
25 constant looping statement comprises a body of said  
variable looping statement, and wherein said body of said  
constant looping statement is only executed in the event  
that said determined condition is satisfied.

30

19. A system for processing a variable looping statement to enable loop unrolling, comprising:

means for determining an upper bound and a lower bound for a loop index within said variable looping statement;

means for determining a condition that must be satisfied, said condition reflecting any conditions within an initial expression and an exit expression of said variable looping statement; and

means for forming a constant looping statement, wherein said upper bound and said lower bound define a range of values for a loop index within said constant looping statement, wherein said constant looping statement includes a nested conditional statement which tests said determined condition, wherein a body of said constant looping statement comprises a body of said variable looping statement, and wherein said body of said constant looping statement is only executed in the event that said determined condition is satisfied.

005101050001

5

10

15